













- · Featuring the new double soft-brake system
- Hardware for one sliding door and one fixed panel
- Concealed overhead roller design
- · Mounts wall-to-wall or wall-to-glass
- For use with 8, 10 or 12mm toughened glass (not included)
- Can accommodate doors weighing up to 80kg
- Available in three finishes, with custom finishes available

The Cabo soft close series has two clamp cover designs (rounded or square), and is available in three architectural finishes.

Each kit comes complete with a header, two top clamps, a bottom guide, a wall seal, and a half-round threshold. Bottom fixed glass attachments, handles, or knobs must be ordered separately.









Square Clamp Style



Rounded Clamp Style

NOTE: Tempered glass is not included.

SPECIFICATIONS:

Glass thickness range: 8mm to 12mm toughened safety

glass (not included)

Material: Anodized aluminum Maximum door weight: 80kg

Overall shower width: Minimum 1.52m wide;

maximum 2.13m wide

Fabrication: Holes required in sliding door

Includes: Gaskets, screws, and glass fabrication information Finish: Available in Chrome, Satin Anodized, and Brushed Nickel

9	CAT. NO.	DESCRIPTION	FINISH
(CABR84CH	2.13m 180 degree kits with headers - rounded clamp	Polished chrome*
(CABS84CH	2.13m 180 degree kits with headers - square clamp	Polished chrome*
(CAB90CH	90 degree return bracket	Polished chrome*

See **crlaurence.co.uk** for door weight and width requirements.
*Other finishes available: Satin Anodized, Brushed Nickel

The Cabo soft close shower door system is the first to offer the double soft-brake system on a frameless sliding shower door



